# SAFETY DATA SHEET

## Revision Date 02-Apr-2015

Version 1

1. IDENTIFICATION			
<u>Product identifier</u> Product Name	Throttle Body Cleaner		
Other means of identification Product Code Synonyms	GL1806B None		
<u>Recommended use of the chemical</u> Recommended Use Uses advised against	and restrictions on use See directions provided with product All other applications		
Details of the supplier of the safety Supplier Address ITW Professional Automotive Products 3606 Craftsman Blvd. Lakeland, FL 33803	Manufacturer Address	<u>Distributor</u>	
Company Phone Number 24 Hour Emergency Phone Number	863-665-3338 Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003583		
E-mail address	EHS@itwproap.com		
	2. HAZARDS IDENTIFICATION	1	

# **Classification**

# OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Inhalation (Vapors)	Category 4
Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Dissolved gas

#### Label elements

#### **Emergency Overview**

# Warning

Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure Harmful if inhaled May be fatal if swallowed and enters airways



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

#### Precautionary Statements - Response

Get medical advice/attention if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Store locked up. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Causes mild skin irritation

Unknown acute toxicity

8% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### substance(s)

CAS No	Weight-%	Trade Secret
67-64-1	60 - 100	*
1330-20-7	5 - 10	*
124-38-9	5 - 10	*
100-41-4	1 - 5	*
	67-64-1 1330-20-7 124-38-9	67-64-1         60 - 100           1330-20-7         5 - 10           124-38-9         5 - 10

The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

## **Description of first aid measures**

Description of first and measures				
General advice	Get medical advice/attention if you feel unwell.			
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.			
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.			
Ingestion	IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.			
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.			
Most important symptoms and effects, both acute and delayed				
Symptoms	See section 2 for more information.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Dry chemical, Foam				
<u>Unsuitable extinguishing media</u> None.				
<u>Specific hazards arising from the c</u> Flammable.	hemical			
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.			
Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.				
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective e	quipment and emergency procedures			
Personal precautions	Remove all sources of ignition. Use personal protective equipment as required.			
Environmental precautions				
Environmental precautions	See Section 12 for additional ecological information. Do not flush into surface water or			

## Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Soak up with inert absorbent material.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
Incompatible materials	Strong oxidizing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Propanone	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	
		(vacated) STEL: 2400 mg/m <sup>3</sup> The	
		acetone STEL does not apply to the	
		cellulose acetate fiber industry. It is	
		in effect for all other sectors	
		(vacated) STEL: 1000 ppm	
Xylene	STEL: 150 ppm	TWA: 100 ppm	-
1330-20-7	TWA: 100 ppm	TWA: 435 mg/m <sup>3</sup>	
		(vacated) TWA: 100 ppm	
		(vacated) TWA: 435 mg/m <sup>3</sup>	
		(vacated) STEL: 150 ppm	
		(vacated) STEL: 655 mg/m <sup>3</sup>	
Carbon Dioxide	STEL: 30000 ppm	TWA: 5000 ppm	IDLH: 40000 ppm
124-38-9	TWA: 5000 ppm	TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm
		(vacated) TWA: 10000 ppm	TWA: 9000 mg/m <sup>3</sup>
		(vacated) TWA: 18000 mg/m <sup>3</sup>	STEL: 30000 ppm
		(vacated) STEL: 30000 ppm	STEL: 54000 mg/m <sup>3</sup>
		(vacated) STEL: 54000 mg/m <sup>3</sup>	-
Ethylbenzene	TWA: 20 ppm	TWA: 100 ppm	IDLH: 800 ppm
100-41-4		TWA: 435 mg/m <sup>3</sup>	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 435 mg/m <sup>3</sup>
		(vacated) TWA: 435 mg/m <sup>3</sup>	STEL: 125 ppm
		(vacated) STEL: 125 ppm	STEL: 545 mg/m <sup>3</sup>
		(vacated) STEL: 545 mg/m <sup>3</sup>	-

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

#### Engineering Controls

Showers Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Odor Color Odor threshold	Aerosol Clear liquid Solvent No information available	White	
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents	Values No information available No information available > 35 °C / 95 °F < 30 °C / < 86 °F No information available No information available		<u>Remarks • Method</u>
Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available 2 mm2/s No information available No information available No information available		
Other Information Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available 92 No information available No information available		

# **10. STABILITY AND REACTIVITY**

Reactivity No data available

## Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Excessive heat.

#### Incompatible materials

Strong oxidizing agents

#### **Hazardous Decomposition Products**

Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Propanone 67-64-1	= 5800 mg/kg(Rat)	-	= 50100 mg/m³ (Rat)8 h
Xylene 1330-20-7	= 3500 mg/kg (Rat)	> 4350 mg/kg (Rabbit)> 1700 mg/kg (Rabbit)	= 29.08 mg/L (Rat)4 h = 5000 ppm (Rat)4 h
Ethylbenzene 100-41-4	= 3500 mg/kg(Rat)	= 15400 mg/kg(Rabbit)	= 17.2 mg/L (Rat)4 h

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No in	formation available.		
Germ cell mutagenicity		formation available.		
Carcinogenicity		able below indicates whether each	a agoney has listed any in	aradiant as a cardinagan
Chemical Name			NTP	OSHA
	ACGIN	-	NIF	ОЗПА
Xylene 1330-20-7	-	Group 3	-	-
Ethylbenzene	A3	Group 2B	-	Х
100-41-4				
X - Present	cinogenic to Humans an carcinogen afety and Health Adı	ministration of the US Department c	,	
Target Organ Effects	Centr	al nervous system, Central Vascu	lar System (CVS), Eyes,	Respiratory system, Skin.
The following values are ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-g ATEmix (inhalation-d	5807 11938 <b>as)</b> 23333	l <b>on chapter 3.1 of the GHS docu</b> mg/kg 3 mg/kg 3 mg/l mg/l	ument .	

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

8% of the mixture consists of components(s) of unknown hazards to the aquatic environmer	nt
--	----

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-Propanone 67-64-1	-	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50
Xylene 1330-20-7	-	<ul> <li>13.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.661 -</li> <li>4.093: 96 h Oncorhynchus mykiss mg/L LC50 static 13.5 - 17.3: 96 h Oncorhynchus mykiss mg/L LC50 13.1 - 16.5: 96 h Lepomis macrochirus mg/L LC50 flow-through 19: 96 h Lepomis macrochirus mg/L LC50 7.711 -</li> <li>9.591: 96 h Lepomis macrochirus mg/L LC50 static 23.53 - 29.97: 96 h Pimephales promelas mg/L LC50 static 780: 96 h Cyprinus carpio mg/L LC50 semi-static 780: 96 h Cyprinus carpio mg/L LC50 30.26 -</li> <li>40.75: 96 h Poecilia reticulata mg/L LC50 static</li> </ul>	3.82: 48 h water flea mg/L EC50 0.6: 48 h Gammarus lacustris mg/L LC50
Ethylbenzene 100-41-4	4.6: 72 h Pseudokirchneriella subcapitata mg/L EC50 438: 96 h Pseudokirchneriella subcapitata mg/L EC50 2.6 - 11.3: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 1.7 - 7.6: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	11.0 - 18.0: 96 h Oncorhynchus mykiss mg/L LC50 static 9.6: 96 h Poecilia reticulata mg/L LC50 static 4.2: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 7.55 - 11: 96 h Pimephales promelas mg/L LC50 flow-through 32: 96 h Lepomis macrochirus mg/L LC50 static 9.1 - 15.6: 96 h Pimephales promelas mg/L LC50 static	1.8 - 2.4: 48 h Daphnia magna mg/L EC50

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### <u>Mobility</u>

No information available.

Chemical Name	Partition coefficient
2-Propanone 67-64-1	-0.24
Xylene 1330-20-7	2.77 - 3.15
Ethylbenzene 100-41-4	3.118

## Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
-------------------------	--

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	U002 U239

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
2-Propanone 67-64-1	-	Included in waste stream: F039	-	U002
Xylene 1330-20-7	-	Included in waste stream: F039	-	U239
Ethylbenzene 100-41-4	-	Included in waste stream: F039	-	-

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-Propanone 67-64-1	Ignitable
Xylene	Toxic
1330-20-7	Ignitable
Ethylbenzene	Toxic
100-41-4	Ignitable

# **14. TRANSPORT INFORMATION**

DOT UN/ID no Proper shipping name: Hazard Class	1950 Aerosols, Limited Quantity (LQ) 2.1
<u>IATA</u> UN/ID no Proper shipping name: Hazard Class	1950 Aerosols Limited Quantity (LQ) 2.1
IMDG_ UN/ID no Proper shipping name: Hazard Class	1950 Aerosols, Limited Quantity (LQ) 2.1

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Xylene - 1330-20-7	1.0
Ethylbenzene - 100-41-4	0.1
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xylene 1330-20-7	100 lb	-	-	Х
Ethylbenzene 100-41-4	1000 lb	Х	X	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
2-Propanone	5000 lb	-	RQ 5000 lb final RQ
67-64-1			RQ 2270 kg final RQ
Xylene	100 lb	-	RQ 100 lb final RQ
1330-20-7			RQ 45.4 kg final RQ
Ethylbenzene	1000 lb	-	RQ 1000 lb final RQ
100-41-4			RQ 454 kg final RQ

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65		
Ethylbenzene - 100-41-4	Carcinogen		
LLS State Dight to Know Degulations			

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Propanone 67-64-1	Х	X	Х
Xylene 1330-20-7	Х	X	Х
Carbon Dioxide 124-38-9	Х	X	Х
Ethylbenzene 100-41-4	Х	X	Х

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 3	Instability 0	-
HMIS	Health hazards 2	Flammability 3	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Revision Date

02-Apr-2015

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet